Certificate of Analysis

Zero Four Twenty

13275 85th St, Fellsmere, FL 32848
319-651-8613

00032

Laboratory ID:	KH21022-04	***Sample Date:***	08/17/26
Sample Matrix:	Wet Flower	***Received:***	08/21/26 14:24
Batch Unit Size:	1 g	***Completed:***	08/26/26 11:02
Label Claim (mg):	THC: -- | CBD: -- | CBN: --	***Description:***	Oscar Mike

POTENCY SUMMARY (As Received)

Total CBD	Total THC	Total Cannabinoids
2.12% (21.2 mg)	***<LOQ%***	***2.30% (23.0 mg)***

Analyte	*%*	*mg*
CBDa	1.42	14.2
CBD	0.876	8.76
CBC	<LOQ	<LOQ
CBDV	<LOQ	<LOQ
CBG	<LOQ	<LOQ
CBGa	<LOQ	<LOQ
CBN	<LOQ	<LOQ
delta 8-THC	<LOQ	<LOQ
delta 9-THC	<LOQ	<LOQ
THCa	<LOQ	<LOQ
THCV	<LOQ	<LOQ

TERPENES SUMMARY (Top Ten)

Terpenes

Not Tested

ANALYSIS SUMMARY

Potency (0.3%)	PASS	***Homogeneity***	Not Tested	***Terpenes***	Not Tested
Residual Solvents	Not Tested	***% Moisture***	Not Tested	***Water Activity***	Not Tested
Foreign Matter	Not Tested	***Pesticides***	Not Tested	***Mycotoxins***	Not Tested
Heavy Metals	Not Tested	***Microbials***	Not Tested	***Label Claim (± 10%)***	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.
This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: ***www.moderncanna.com/modern-canna-reporting-limits/***

LOQ = Limit of Quantification ***ND = Non-Detect*** ***RPD = Relative Percent Difference*** ***MDL = Method Detection Limit*** ***PQL = Practical Quantitation Limit***

4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800
CMTL-0005

Richard Dillen
Laboratory Director

Accreditation #102020

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Results

4.08 %CBDa	**0.326 %**
3.58 %Total CBD	**0 %** Total THC
4.41 %	
Total Cannabinoids	**0.294%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Pass	**Microbials** Pass
Foreign Matter Pass	**Water Activity** Pass	**Homogeneity** Not Tested
Terpenes Tested	**Contaminant Load** Not Tested	**Residual Solvents** Not Tested
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested	**Contaminants** Not Tested	

Dominant Terpenes



ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Certificate of Analysis

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Cannabinoids

Tested

SamplePrep
Tech: 3358, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL1002-0011878
Batch Date: 10/02/2026 12:40

Sample Analysis
Date/Time: 10/07/2026 11:13
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 0.493 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	2,040	0.041	2.069	ND	ND	ND
CBDa	2,040	0.314	2.069	**4.0825**	**40.825**	**571.548**
CBGa	2,040	0.156	2.069	**0.3256**	**3.256**	**45.582**
CBG	2,040	0.338	2.069	ND	ND	ND
CBD	2,040	0.575	2.069	ND	ND	ND
THCV	2,040	0.134	2.069	ND	ND	ND
THCVa	2,040	0.112	2.069	ND	ND	ND
CBN	2,040	0.061	2.069	ND	ND	ND
D8-THC	2,040	0.348	2.069	ND	ND	ND
D9-THC	2,040	0.3	2.069	ND	ND	ND
CBC	2,040	0.224	2.069	ND	ND	ND
THCa	2,040	0.342	2.069	< LOQ	< LOQ	< LOQ
CBCa	2,040	0.567	2.069	< LOQ	< LOQ	< LOQ
Total CBD				**3.5803**	**35.803**	**501.247**
Total THC				0.0000	0.000	0.000
Total Cannabinoids				**4.4081**	**44.081**	**617.130**

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Certificate of Analysis

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Moisture

Pass

Sample Prep

Tech: 4527
SOP: SOP 205
Batch Number: WMOISFL-FL1001-0011819
Batch Date: 10/01/2026 15:43

Sample Analysis

Date/Time: 10/01/2026 19:46
Tech: 4527
SOP: SOP 205
Instrument: MOC63u Balance - 2900
Initial Weight: 1.004 g
Initial Volume: -
Final Volume: -

Analyte	Limit (%)	%	Status
Moisture	15.0	**0.5**	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Microbials

Pass

SamplePrep
Tech: 4302
SOP: SOP 406-FL & SOP 412-FL
Batch Number: WMCRFL-FL0929-0011648
Batch Date: 09/29/2026 10:52

Sample Analysis
Date/Time: 10/02/2026 12:50
Tech: 4509, 4516
SOP: SOP 406-FL SOP & 412-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Initial Weight: 3.152 g
Initial Volume: -
Final Volume: -

Analyte	DF	Limit (CFU/g)	Result	Status
Yeast & Mold	1.00	100,000	ND	Passed
Salmonella	10.0	None Present	Absence	Passed
Aspergillus Flavus	10.0	None Present	Absence	Passed
Aspergillus Fumigatus	10.0	None Present	Absence	Passed
Aspergillus Niger	10.0	None Present	Absence	Passed
Aspergillus Terreus	10.0	None Present	Absence	Passed
STEC E. Coli	10.0	None Present	Absence	Passed
Total Aerobic Microbial Count	1,000		**1,934**	Tested

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 09/30/2026 13:46

Sample Analysis
Date/Time:09/30/2026 17:03
Tech: 4509
SOP: SOP 409-FL
Initial Weight: 1 g
Initial Volume: -
Final Volume: -

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Water Activity

Pass

SamplePrep
Tech: 4527
SOP: SOP 206
Batch Number: WWAFL-FL1001-0011816
Batch Date: 10/01/2026 15:41

Sample Analysis
Date/Time: 10/02/2026 10:37
Tech: 4509
SOP: SOP 206
Instrument: Rotronic Water Activity Meter - 3530
Initial Weight: 1.024 g
Initial Volume: -
Final Volume: -

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	**0.53**	Passed

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Terpenes

Tested

Sample Prep

Tech: 4514, 3358
SOP: SOP 419-FL
Batch Number: WLTRFL-FL1002-0011854
Batch Date: 10/02/2026 09:21

Sample Analysis

Date/Time: 10/02/2026 17:20
Tech: 3358
SOP: SOP 419-FL
Instrument: GC-FID - 2893
Initial Weight: 0.56 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (%)	LOQ (%)	%
Total Terpenes				**0.294**
a-Bisabolol	10.0	0.001	0.003	**0.0660**
a-Pinene	10.0	0.001	0.003	**0.0480**
b-Caryophyllene	10.0	0.001	0.003	**0.0450**
b-Myrcene	10.0	0.001	0.003	**0.0430**
b-Pinene	10.0	0.001	0.003	**0.0230**
a-Humulene	10.0	0.001	0.003	**0.0140**
Guaiol	10.0	0.001	0.003	**0.0120**
Linalool	10.0	0.001	0.003	**0.0100**
Limonene	10.0	0.001	0.003	**0.00700**
trans-Nerolidol	10.0	0.001	0.003	**0.00700**
Fenchol	10.0	0.001	0.003	**0.00500**
Eucalyptol	10.0	0.001	0.003	**0.00400**
Terpineol	10.0	0.001	0.003	**0.00400**
Borneol	10.0	0.001	0.003	**0.00300**
Caryophyllene Oxide	10.0	0.001	0.003	**0.00300**
Camphene	10.0	0.001	0.003	< LOQ
a-Phellandrene	10.0	0.001	0.003	ND
d-3-Carene	10.0	0.001	0.003	ND
a-Terpinene	10.0	0.001	0.003	ND
g-Terpinene	10.0	0.001	0.003	ND
Terpinolene	10.0	0.001	0.003	ND
Sabinene Hydrate	10.0	0.001	0.003	< LOQ
Fenchone	10.0	0.001	0.003	ND
Isopulegol	10.0	0.001	0.003	ND
Camphor	10.0	0.001	0.003	ND
Isoborneol	10.0	0.001	0.003	ND
DL-Menthol	10.0	0.001	0.003	ND
Nerol	10.0	0.001	0.003	ND

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Analyte	DF	LOD (%)	LOQ (%)	%
Pulegone	10.0	0.001	0.003	ND
Geraniol	10.0	0.001	0.003	ND
Geranyl Acetate	10.0	0.001	0.003	ND
a-Cedrene	10.0	0.001	0.003	ND
Valencene cis-	10.0	0.001	0.003	ND
Nerolidol Cedrol	10.0	0.001	0.003	ND
trans-b-Ocimene	10.0	0.001	0.003	ND
cis-b-Ocimene	10.0	0.001	0.003	ND
	10.0	0.001	0.003	ND

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Mycotoxins

Pass

SamplePrep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL1004-0011975
Batch Date: 10/03/2026 21:01

Sample Analysis
Date/Time: 10/07/2026 15:08
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.109 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	2.50	1.837	9.183	20.000	ND	Passed
B2	2.50	1.837	9.183	20.000	ND	Passed
G1	2.50	1.837	9.183	20.000	ND	Passed
G2	2.50	1.837	9.183	20.000	ND	Passed
Ochratoxin A	2.50	1.837	9.183	20.000	ND	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Heavy Metals

Pass

SamplePrep
Tech: 4509
SOP: SOP 428-FL
Batch Number: WMTLFL-FL1001-0011817
Batch Date: 10/01/2026 15:42

Sample Analysis
Date/Time: 10/02/2026 16:08
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Initial Weight: 0.252 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	50.0	8.138	74.434	200.000	< LOQ	Passed
Cadmium	50.0	5.359	74.434	200.000	< LOQ	Passed
Mercury	50.0	5.955	74.434	200.000	ND	Passed
Nickel	50.0	76.816	223.303	500.000	< LOQ	Passed
Lead	50.0	5.359	223.303	500.000	**290**	Passed
Tin	50.0	224.295	297.737	4,000.000	**298**	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Certificate of Analysis

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Pesticides

Pass

SamplePrep
Tech: 3358, 4509
SOP: SOP 424-FL
Batch Number: WPMCFL-FL1004-0011975
Batch Date: 10/03/2026 21:01

Sample Analysis
Date/Time: 10/07/2026 15:08
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3005
Initial Weight: 0.655 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	2.50	0.008	0.020	0.100	ND	Passed
Acephate	2.50	0.009	0.023	0.100	ND	Passed
Acequinocyl	2.50	0.009	0.023	0.100	ND	Passed
Acetamiprid	2.50	0.002	0.009	0.100	ND	Passed
Aldicarb	2.50	0.005	0.018	0.100	ND	Passed
Azoxystrobin	2.50	0.002	0.009	0.100	ND	Passed
Bifenazate	2.50	0.002	0.009	0.100	ND	Passed
Bifenthrin	2.50	0.009	0.023	0.100	ND	Passed
Boscalid	2.50	0.011	0.046	0.100	ND	Passed
Carbaryl	2.50	0.005	0.009	0.500	ND	Passed
Carbofuran	2.50	0.002	0.009	0.100	ND	Passed
Chlorantraniliprole	2.50	0.002	0.009	1.000	ND	Passed
Chlorpyrifos	2.50	0.009	0.023	0.100	ND	Passed
Clofentezine	2.50	0.009	0.023	0.200	ND	Passed
Coumaphos	10.0	0.010	0.050	0.100	ND	Passed
Cyfluthrin	10.0	0.010	0.100	0.500	ND	Passed
Cypermethrin	10.0	0.010	0.100	0.500	ND	Passed
Daminozide	2.50	0.009	0.023	0.100	ND	Passed
Diazinon	2.50	0.002	0.009	0.100	ND	Passed
Dichlorvos	2.50	0.009	0.023	0.100	ND	Passed
Dimethoate	2.50	0.002	0.009	0.100	ND	Passed
Dimethomorph	2.50	0.003	0.010	0.200	ND	Passed
Ethoprophos	2.50	0.002	0.009	0.100	ND	Passed
Etofenprox	2.50	0.002	0.009	0.100	ND	Passed
Etoxazole	2.50	0.002	0.009	0.100	ND	Passed
Fenhexamid	2.50	0.009	0.046	0.100	ND	Passed
Fenoxycarb	2.50	0.002	0.009	0.100	ND	Passed
Fenpyroximate	2.50	0.002	0.018	0.100	ND	Passed
Fipronil	2.50	0.002	0.009	0.100	ND	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

ZeroFourTwenty
Order No.:OFLZFT0922-0017087
13275 85thStreet
Florida, 32948
andrew@zerofourtwenty.com
3196518613

Sample: SFLZFT0922-PHEM-0009530
UnitWeight:14.0000g , SampleSizefor Testing:14.0000g
Batch#: 00032
COA Expiration Date: 09/29/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Oscar Mike
Plant, Hemp

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Flonicamid	2.50	0.005	0.018	0.100	ND	Passed
Fludioxonil	2.50	0.005	0.009	0.100	ND	Passed
Hexythiazox	2.50	0.005	0.018	0.100	ND	Passed
Imazalil	2.50	0.009	0.023	0.100	ND	Passed
Imidacloprid	2.50	0.023	0.115	0.400	ND	Passed
Kresoxim Methyl	2.50	0.005	0.009	0.100	ND	Passed
Malathion	2.50	0.018	0.046	0.200	ND	Passed
Mevinphos	2.50	0.008	0.021	0.100	ND	Passed
Metalaxyl	2.50	0.002	0.009	0.100	ND	Passed
Methiocarb	2.50	0.002	0.009	0.100	ND	Passed
Methomyl	2.50	0.002	0.009	0.100	ND	Passed
Myclobutanil	2.50	0.005	0.023	0.100	ND	Passed
Naled	2.50	0.018	0.023	0.250	ND	Passed
Oxamyl	2.50	0.002	0.009	0.500	ND	Passed
Paclobutrazol	2.50	0.002	0.009	0.100	ND	Passed
Permethrin	2.50	0.009	0.023	0.100	ND	Passed
Phosmet	2.50	0.005	0.023	0.100	ND	Passed
Piperonyl Butoxide	2.50	0.002	0.009	3.000	ND	Passed
Prallethrin	2.50	0.009	0.023	0.100	ND	Passed
Propiconazole	2.50	0.009	0.023	0.100	ND	Passed
Propoxur	2.50	0.002	0.009	0.100	ND	Passed
Pyrethrins	2.50	0.031	0.061	0.500	ND	Passed
Pyridaben	2.50	0.002	0.009	0.200	ND	Passed
Spinetoram	2.50	0.007	0.016	0.200	ND	Passed
Spinosyn AD	2.50	0.009	0.039	0.100	ND	Passed
Spiromesifen	2.50	0.002	0.009	0.100	ND	Passed
Spirotetramat	2.50	0.005	0.023	0.100	ND	Passed
Spiroxamine	2.50	0.002	0.009	0.100	ND	Passed
Tebuconazole	2.50	0.009	0.023	0.100	ND	Passed
Thiacloprid	2.50	0.002	0.009	0.100	ND	Passed
Thiamethoxam	2.50	0.002	0.009	0.500	ND	Passed
Trifloxystrobin	2.50	0.002	0.009	0.100	ND	Passed
Methyl Parathion	10.0	0.010	0.020	0.100	ND	Passed
Chlordane	10.0	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	10.0	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	2.50	0.002	0.009	1.000	ND	Passed
Pentachloronitrobenzene	10.0	0.010	0.050	0.150	ND	Passed

ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.